

Don't Try. Don't Die.

Please complete the Pre-Survey!




Bruce Snodgrass, Forever 22




Facing the Facts

- **Fentanyl** is a synthetic opioid that's 50x more potent than heroin and 100x more potent than morphine
- 6 out of 10 fake prescription pills today contain a lethal dose of fentanyl
- These pills are being sold on social media to look like Oxycontin, Percocet, Vicodin, Xanax, and stimulants like Adderall
 - Assume every pill you purchase today **WILL KILL YOU**



Trends



News



***“Brothers Caleb (18) & Kyler (20) Kiessling,
Poisoned by fentanyl thinking it was Percocet”***


Michigan



Detroit Free Press




Brothers were accidental casualties of the



Vancouver

Jack Bodie, 17, died after taking fake
Oxycontin laced with fentanyl, police said.

California



***Zachary Didier (17) straight “A” honors student, athlete in
soccer and track, and a musician accepted into Stanford
and UCLA. Poisoned by fentanyl thinking it was Percocet***


Trends

- **82%** of all opioid-involved deaths in 2020 - FENTANYL.
- In 2022, 110,315 deaths
- FENTANYL is slaughtering an entire generation...

October 27, 2022 | Topic: Fentanyl | Region: Americas | Tags: Fentanyl, Drug Trafficking, China, Mexico, Drug Cartels, Illegal Immigration

Fentanyl Is a Weapon of Mass Destruction

Figure 1. National Drug-Involved Overdose Deaths*, Number Among All Ages, by Gender, 1999-2021



*Includes deaths with underlying causes of unintentional drug poisoning (X40-X44), suicide drug poisoning (X60-X64), homicide drug

DRUG AND SUBSTANCE ABUSE · Published December 16, 2021 5:08pm EST

Fentanyl overdoses become No. 1 cause of death among US adults, ages 18-45: 'A national emergency'

More adults between 18 and 45 died of fentanyl overdoses in 2020 than COVID-19, motor vehicle accidents, cancer and suicide





Naloxone

- **Life saving** medication that reverses the effects of an opioid overdose
- Should be kept in every household like a first aid kit or an EpiPen
- Use if signs of an overdose...
 - Small, constricted “**pinpoint pupils**”
 - Falling asleep or **losing consciousness**
 - Slow, weak, or **no breathing**
 - Choking or gurgling sounds
 - Limp body
 - **Cold** and/or clammy skin
 - Discolored **blue** skin (especially in lips and nails)
- Safe for all ages and NO contraindications for use
- Ask a pharmacist, non-profit, or Fentanyl Fathers to get Naloxone for your home

Good Samaritan Law

- Prevents drug possession charges against those that seek medical assistance for an overdose.
- This law makes saving lives the priority during a drug overdose, not criminal prosecutions of illegal drug users
- SAVING A LIFE is more important than SAVING A FRIENDSHIP
 - If you see something SAY SOMETHING

What to do if you think someone is overdosing

It may be hard to tell whether a person is high or experiencing an overdose. If you aren't sure, treat it like an overdose—you could save a life.

- 1 Call 911 Immediately.*
- 2 Administer naloxone, if available.
- 3 Try to keep the person awake and breathing.
- 4 Lay the person on their side to prevent choking.
- 5 Stay with the person until emergency assistance arrives.

**Most states have laws that may protect a person who is overdosing or the person who called for help from legal trouble.*





“Dead on Arrival”

- <https://www.youtube.com/watch?v=iJgPmrLjkuo&t=407s>
- *“It’s odorless, it’s tasteless, and you don’t know it’s there...and when you find out it’s there it’s too late...you’ll be dead.”*



Q & A





Please complete the survey!

Don't Try. Don't Die.

