Before we get started, please test your Fentanyl Awareness with a pre-survey



Don't Try. Don't Die. SFENTANYL









Facing the Facts

- **Fentanyl** is a synthetic opioid that's 50x more potent than heroin and 100x more potent than morphine
- 6 out of 10 fake prescription pills today contain a lethal dose of fentanyl
- These pills are being sold on social media to look like Oxycontin, Percocet, Vicodin, Xanax, and stimulants like Adderall
 - Assume every pill you purchase today WILL KILL YOU








Trends

Illicit Substance Use vs. Drug-induced Mortality

U.S. Teens Age 14-18




Substance Use: Monitoring the Future National Survey Results on Drug Use, 1975–2021: Volume I, Secondary school students. Ann Arbor: Institute for Social Research, The University of Michigan. Available at https://monitoringthefuture.org/pubs.html#monographs. "Trends in Annual Prevalence of Use of Various Drugs for Grades 8, 10, and 12 Combined, Any illicit Drug other than Marijuana." Drug-induced Mortality: 2021 Provisional reported deaths from: Centers for Disease Control and Prevention, National Center for Health Statistics 2018: through last month on CDC WONDER Online Database, released in 2022. Pre 2021 Data from the Multiple Cause of Death Files, 1999 2020. Compiled from data provided by the 57 vital statistics jurisdictions through the Vtal Statistics (operative Program. Accessed at https://wonder.cdc.gov/mcd.icd10.html on Oct 2022. NCHS has defined selected causes of death groups for analysis of all ages mortality data: Drug overdose deaths are identified using underlying cause of death codes from the Tenth Revision of ICD (ICD—10): X40–X44 (unintentional). X60–X64 (suicide). X85 (homicide). X85 (homicide). X80 (ICD—10): X40–X44 (unintentional) in one drug death. 2021 is provisional and could change the involved in one drug death. 2021 is provisional and could change.




Fentanyls Growth, Multi-substance, Youth Impact

Trends





* Drug Type-Involvement % by Age 2021



*Will sum to greater than 100% because multiple substances can be involved in one death

H = Heroin (T40.1) C = Cocaine (T40.5) Rx = Prescription Opioids (T40.2)

B = Benzos (T42.4)

F = Fentanyls/Synthetic Opioids (T40.4)

M = Methamphetamine (T43.6)

Derived from: Centers for Disease Control and Prevention, National Center for Health Statistics. National Vital Statistics System, Provisional Mortality & Mortality 1999-2020 on CDC WONDER Online Database. Data are from the provisional data for years 2021-2022 and final Multiple Cause of Death Files, 1999-2020, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Provisional data for 2021 may change until "12-2022. Accessed at http://wonder.cdc.gov/mcd icd10 provisional.html & http://wonder.cdc.gov/mcd icd10.html on Oct, 2022. Reported data, not predicted. NCHS has defined selected causes of death groups for analysis of all ages montality data: "Drug poisoning feverdose!" deaths are identified using underlying cause of death codes from the Tenth Revision of ICD (ICD-10): X40-X44 (unintentional),X85 (homicide), and Y10-Y14 (undetermined). Drug overdose & poisoning deaths involving ateign selected circle death groups for analysis of all drug deaths involving morphine and codeline, and semisynthetic oploids propried analysis of all drug such as fentanyl and transdatory, including morphine and codeline, and semisynthetic oploids uses T40.4; protocodone, hydrocodone, and any open open of analysis of all drug deaths" is (MCD T40.3); synthetic oploid analgesics other that allows potential, which includes methamphetamine (T40.1 and/or T40.2 "Fentanyl's of all drug deaths" is (MCD T40.4) minus (Any T40.4) minus (Any T40.4 any involvement of T40.1 and/or T40.2, and/or T40.5, and/or T40.4 and/or T40.4.4 any involved in one drug death rates are per 100K population.




"Brothers Caleb (18) & Kyler (20) Kiessling, Poisoned by fentanyl thinking it was Percocet"

News



Both Brothers Same Day

Detroit Free Dress




Jack Bodie, 17, died after taking fake Oxycontin laced with fentanyl, police said.





DON'T BECOME A HEADLINE!



Zachary Didier (17) straight "A" honors student, athlete in soccer and track, and a musician accepted into Stanford and UCLA. Poisoned by fentanyl thinking it was Percocet

Trends




- 82% of all opioid-involved deaths in 2020 - FENTANYL.
- In 2022, 110,315 deaths
- FENTANYL is slaughtering an entire generation...

October 27, 2022 | Topic: Fentanyl | Region: Americas | Tags: Fentanyl, Drug Trafficking, China, Mexico, Drug Cartels, Illegal Immigration

Fentanyl Is a Weapon of Mass Destruction

Figure 1. National Drug-Involved Overdose Deaths*, Number Among All Ages, by Gender, 1999-2021



*Includes deaths with underlying causes of unintentional drug poisoning (X40—X44), suicide drug poisoning (X60—X64), homicide drug poisoning (X85), or drug poisoning of undetermined intent (Y10—Y14), as coded in the International Classification of Diseases, 10th Revision. Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2021 on CDC WONDER Online Database, released 1/2023.



DRUG AND SUBSTANCE ABUSE · Published December 16, 2021 5:08pm EST

Fentanyl overdoses become No. 1 cause of death among US adults, ages 18-45: 'A national emergency'

More adults between 18 and 45 died of fentanyl overdoses in 2020 than COVID-19, motor vehicle accidents, cancer and suicide





Naloxone

- Life saving medication that <u>reverses</u> the effects of an opioid overdose
- Should be kept in every household like a first aid kit or an EpiPen
- Use if signs of an overdose...
 - Small, constricted "pinpoint pupils"
 - Falling asleep or losing consciousness
 - Slow, weak, or no breathing
 - Choking or gurgling sounds
 - Limp body
 - Cold and/or clammy skin
 - Discolored blue skin (especially in lips and nails)
- Safe for all ages and NO contraindications for use
- Ask a pharmacist, non-profit, or Fentanyl Fathers to get Naloxone for your home









Good Samaritan Law


- Prevents drug possession charges against those that seek medical assistance for an overdose.
- This law makes saving lives the priority during a drug overdose, not criminal prosecutions of illegal drug users
- SAVING A LIFE is more important than SAVING A FRIENDSHIP
 - If you see something SAY SOMETHING





What to do if you think someone is overdosing

It may be hard to tell whether a person is high or experiencing an overdose. If you aren't sure, treat it like an overdose—you could save a life.



Administer naloxone, if available.

Try to keep the person awake and breathing.

Lay the person on their side to prevent choking.

Stay with the person until emergency assistance arrives.

*Most states have laws that may protect a person who is overdosing or the person who called for help from legal trouble.



"Dead on Arrival"

- https://www.youtube.com/watch?v=iJgPmrLjkuo&t=407s
- "It's odorless, it's tasteless, and you don't know it's there...and when you find out it's there it's too late...you'll be dead."



Please complete the after survey!

Don't Try. Don't Die.



DON'T TRY. DON'T DIE.





3/16/2002 - 9/25/2021



Q & A

Examples:

Will I die if particles touch me - like Anthrax?

Does in come in Vapes?

Will I get in trouble if I report a friend overdosing?







FENTANYLFATHERS.ORG