




How much do you know about *Fentanyl*?

1



<https://www.youtube.com/watch?v=iJgPmrLjkuo&t=407s>

"RIVETING" - NBC

"The best presentation we've seen
in our four years of High School"
-Seaholm Seniors, May 10, 2023

"Every parent & every student
needs to see Fentanyl Fathers."
-Jay Crawford, ESPN Sports Center

A film by
VID

DEAD
on arrival

Presented by
FENTANYL
FATHERS



Pill Roulette: 3 in 5
contain LIVE fentanyl
rounds that will kill you
dead like Raid kills bugs.

A 45 minute Life Saving
School Assembly show
that fentanyl proofs kids
from America's #1 killer.



***"It's odorless, it's
tasteless, and you don't
know it's there...and
when you find out it's
there it's too late...
you'll be dead."***

Don't Try. Don't Die.



Hello, I'm Trevor

I died July 25, 2022 from Fentanyl poisoning



Hello, I'm Drew Swan

I died April 3, 2013 from synthetic Opioids.



Trizzy




FENTANYL
FATHERS




Trevor


Reiderman



Facing the Facts

- **Fentanyl** is a synthetic opioid that is 50x more potent than heroin and 100x more potent than morphine
- In 2022, the DEA found **6 out of 10** fake pills contain a lethal dose of fentanyl
- These pills are being sold on social media to look like Oxycontin, Percocet, Vicodin, Xanax, and stimulants like Adderall
 - Assume every pill you purchase today WILL KILL YOU
- Fentanyl powder is also being added to street drugs like cocaine, heroin, methamphetamine, marijuana, gummies and even illicit vapes







2 mg is enough to kill you
2000 mg = 1 packet of sugar

Fentanyl's Growth, Multi-substance, Youth Impact

* Drug Type-Involvement % by Age
2014



* Drug Type-Involvement % by Age
2021



*Will sum to greater than 100% because multiple substances can be involved in one death

H = Heroin (T40.1)

Rx = Prescription Opioids (T40.2)

F = Fentanyl/Synthetic Opioids (T40.4)

C = Cocaine (T40.5)

B = Benzos (T42.4)

M = Methamphetamine (T43.6)

Derived from: Centers for Disease Control and Prevention, National Center for Health Statistics, National Vital Statistics System, Provisional Mortality & Mortality 1999-2020 on CDC WONDER Online Database. Data are from the provisional data for years 2021-2022 and final Multiple Cause of Death Files, 1999-2020, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Provisional data for 2021 may change until ~12/2022. Accessed at <http://wonder.cdc.gov/mcd-icd10-provisional.html> & <http://wonder.cdc.gov/mcd-icd10.html> on Oct, 2022. Reported data, not predicted. NCHS has defined selected causes of death groups for analysis of all ages mortality data: "Drug poisoning (overdose)" deaths are identified using underlying cause of death codes from the Tenth Revision of ICD (ICD-10): X40-X44 (unintentional), X85 (homicide), and Y10-Y14 (undetermined). Drug overdose & poisoning deaths involving selected drug categories are identified by specific multiple cause of death codes: heroin (T40.1); natural opioid analgesics, including morphine and codeine, and semisynthetic opioids, including drugs such as oxycodone, hydrocodone, hydromorphone, and oxymorphone (T40.2); methadone, a synthetic opioid (T40.3); synthetic opioid analgesics other than methadone, including drugs such as fentanyl and tramadol (T40.4); cocaine (T40.5); Benzodiazepines (T42.4), and psychostimulants with abuse potential, which includes methamphetamine (T43.6). "Rx Opioids" uses T40.2 "Fentanyl/Synthetic opioid involvement" uses T40.4, "Fentanyl" % of all drug deaths" is (MCD T40.4/Drug overdose deaths). "Fentanyl only" uses (Any T40.4) minus (Any T40.4 + any involvement of T40.1 and/or T40.2 + T40.3, and/or T40.5, and/or T42.4 and/or T43.6). Multiple drugs may be involved in one drug death. Death rates are per 100K population.



***“Brothers Caleb (18) & Kyler (20)
Kiessling, Poisoned by fentanyl in
Michigan thinking it was Percocet”***

News



DON'T BECOME A HEADLINE!



***Jayla McBroom
(17) fatally
poisoned by
fentanyl in D.C.***



***Relatives of more than 60 young people who died
from fentanyl file lawsuit against SnapChat***

***Melanie Ramos (15) found dead in
Los Angeles high school bathroom
hours after taking fake Percocet***


Trends

- **CDC** reports 114% increase in adolescent overdose deaths between 2019 and 2021
 - Largest increase in history
 - 77% caused by fentanyl
- In 2022, 110,236 overdose deaths
- **CDC** reports that $\frac{2}{3}$ of adolescent overdose deaths are witnessed
 - Most w/ no overdose response

October 27, 2022 | Topic: Fentanyl | Region: Americas | Tags: Fentanyl, Drug Trafficking, China, Mexico, Drug Cartels, Illegal Immigration

Fentanyl Is a Weapon of Mass Destruction

Figure 1. National Drug-Involved Overdose Deaths*, Number Among All Ages, by Gender, 1999-2021




*Includes deaths with underlying causes of unintentional drug poisoning (X40–X44), suicide drug poisoning (X60–X64), homicide drug poisoning (X85), or drug poisoning of undetermined intent (Y10–Y14), as coded in the International Classification of Diseases, 10th Revision. Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999–2021 on CDC WONDER Online Database, released 1/2023.

DRUG AND SUBSTANCE ABUSE · Published December 16, 2021 5:08pm EST

Fentanyl overdoses become No. 1 cause of death among US adults, ages 18-45: 'A national emergency'

More adults between 18 and 45 died of fentanyl overdoses in 2020 than COVID-19, motor vehicle accidents, cancer and suicide





Zach Corona

(13) left brain-damaged after
forced to smoke
fentanyl-laced
vape




"ONE OF THE NEW THREATS WE'VE SEEN COMES FROM ILLICIT SUGARY-FLAVORED DISPOSABLE VAPES THAT ARE MARKETING TO KIDS AND MAY BE LACED WITH FENTANYL."

- GREGORY SWAN
CO-FOUNDER
FENTANYLFATHERS.ORG



V
A
P
I
N
G



Facebook followers. The post has over 700 shares. (WALB)



Chairman of Safety Standards

Arnaud Dumas de Rauly is chairman of The Blinc Group - the organization that sets safety standards for vaping. He says 95% of the current vaping market is illicit.

Naloxone




- **Life saving** medication that reverses the effects of an **opioid overdose**
 - Should be available at all times like a first aid kit or an EpiPen
- **ALWAYS call 9-1-1**
 - **Naloxone** is a temporary treatment that lasts 30-90 minutes
 - Person should be monitored for several hours
- **How to Use**
 - **Spray entire dose into one nostril** of suspected overdose victim
 - If no response within 2 minutes, spray additional dose in the opposite nostril
 - Still no breathing? Perform CPR (if trained) or provide rescue breathing and wait for EMS to arrive
- ****Safe for all ages and NO contraindications** for use
- Most pharmacies have a standing order for obtaining naloxone
 - ***Fentanyl Fathers*** has samples of naloxone available
 - Talk to your school nurse or principal for more information

Recognize & Respond to an Overdose

- **CALL 9-1-1** and administer naloxone if any of these signs are present...
 - Small, constricted “**pinpoint pupils**”
 - Falling asleep or **losing consciousness**
 - Slow, weak, or **no breathing**
 - Choking or gurgling sounds
 - Limp body
 - **Cold** and/or clammy **pale** skin
 - Discolored **purple or blue** lips and nails
- **3-4 Minutes** without breathing causes brain injury
 - **6-10 Minutes** leads to coma and **Death**
- National EMS Information System reports average response time to an overdose is just under 10 minutes (**9.9 Minutes**)
 - YOU may be a person’s **ONLY** chance of staying alive



SIGNS OF OPIOID OVERDOSE



COMMON EMOJI CODES

FAKE PRESCRIPTION DRUGS


PERCOCET & OXYCODONE



XANAX



ADDERALL



DEALER SIGNALS

DEALER ADVERTISING



HIGH POTENCY



UNIVERSAL FOR DRUGS



LARGE BATCH



OTHER DRUGS

METH



HEROIN



COCAINE



MDMA & MOLLIES



MUSHROOMS






COUGH SYRUP



MARIJUANA





Famous

Fentanyl

Victims

TOM PETTY

FENTANYL FATHERS

FENTANYL FATHERS

For Parents...

- **Talk** about the dangers of social media and prescription misuse
 - Kids need to know that **EVERY** drug today could kill them first use
- **Discuss** fentanyl in vapes and marijuana
 - These are two drugs most commonly used by adolescents, and fentanyl can be found in both
- **Model behaviors you want to see**
 - Exercise, meditation, journaling, asking for help early when stressed, healthy eating habits
- **Ask** questions, and don't judge
- Get **Naloxone** for your home
- **Pay attention** during times of stress, transition, and any behaviors suspicious for drug use
- ***Stress the importance of calling 9-1-1***
 - Protection under Good Samaritan Laws
- Realize that this could happen to you - no one is immune
- **Share** "Dead on Arrival" with other parents, friends, family, and teens
- **Get help** if you need it



Good Samaritan Law

- **Protects against** drug possession **charges** for those that seek medical assistance for an overdose.
- You will **NEVER** get in trouble for giving naloxone to a suspected overdose victim
 - Protected under naloxone distribution laws
- SAVING A LIFE is more important than SAVING A FRIENDSHIP
 - If you see something SAY SOMETHING
- **ALWAYS Call 9-1-1 if you witness an overdose**
 - Failing to call can lead to criminal charges depending on the circumstances and location of the event



I'll never try so
I'll never die
from Fentanyl!





Please complete the survey!

Don't Try. Don't Die.



COMMUNITY



- Ask your school what they are doing to address fentanyl
- Share what you learn on social media
- Keep up to date on drug trends in your area
- Hold a “Dead on Arrival” viewing party with youth groups, sports leagues, and other youth-centric organizations
- Ask Fentanyl Fathers to hold an assembly or town hall in your area
 - **Perception of harm** can be a *protective* factor for kids → they need to know about this stuff

#JointheFight

We need your help!

www.fentanylfathers.org → **Donate**

PayPal: @FentanylFathers

Venmo: @FentanylFathers

Donations make assemblies like
this possible

